

Correction to “Improving causality perception judgments in schizophrenia spectrum disorder via transcranial direct current stimulation”

The journal has been made aware of a labelling error that occurred in a paper published on July 4, 2023.¹ The post hoc finding of a significant effect was for the left frontal cathodal, right parietal anodal (LFC-RPA) condition, not the left parietal cathodal, right parietal anodal (LPC-RPA) condition. The correct condition — LFC-RPA — still includes right parietal anodal stimulation, which is the primary focus of the paper’s interpretation in the Discussion section, but the location of the second electrode differs from what was reported in the originally published article. Although amending the paper required several corrections, including in Figure 2, Table 3, and Appendix 1, the overall message of the study remains unchanged.

This has been corrected at jpn.ca.

Cite as: *J Psychiatry Neurosci* 2024 April 23; 49(2). doi: 10.1503/jpn.240042

Content licence: This is an Open Access article distributed in accordance with the terms of the Creative Commons Attribution (CC BY-NC-ND 4.0) licence, which permits use, distribution and reproduction in any medium, provided that the original publication is properly cited, the use is noncommercial (i.e., research or educational use), and no modifications or adaptations are made. See: <https://creativecommons.org/licenses/by-nc-nd/4.0/>

Reference

1. Schülke R, Schmitter CV, Straube B. Improving causality perception judgments in schizophrenia spectrum disorder via transcranial direct current stimulation. *J Psychiatry Neurosci* 2023;48:E245-54.